
DATA SHEET

THE TUNBRIDGE WELLS
Brassware Co.

02.DNS****/DND**** **Dunorlan Single or Double Gloss white/Anthracite Radiator**

Single







Radiator Specification

Finish: White/Anthracite

Material: Steel

Warranty: 10-year manufacture

Standards: Product tested in accordance with EN442

Connections: 1/2"

Max working pressure: 10 bar

Features and Benefits

A perfect solution for any room with limited wall space

Complements square bathroom fixtures and fittings

Sleek and stylish, eyecatching design

Available as single or double White and anthracite finishes

Additional:


Excludes Valves

THE TUNBRIDGE WELLS Brassware Co.

02.DNS**** Dunorlan Single

Code Single	Finish	Height (mm)	Length (mm)	Depth (mm)	Pipe Centres (mm)	Output (Watts)	Output (BTUs)	Weight (kg)
02.DNS318W	White	1800	310	55	310	550	1876	14.3
02.DNS418W	White	1800	435	55	435	877	2992	21.3
02.DNS618W	White	1800	604	55	604	934	3187	28.3
02.DNS318A	Anthracite	1800	310	55	310	550	1876	14.3
02.DNS418A	Anthracite	1800	435	55	435	877	2992	21.3
02.DNS618A	Anthracite	1800	604	55	604	934	3187	28.3

All dimensions are in milimetres unless otherwise stated. The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.



THE TUNBRIDGE WELLS Brassware Co.

02.DND**** Dunorlan Double

Code Double	Finish	Height (mm)	Length (mm)	Depth (mm)	Pipe Centres (mm)	Output (Watts)	Output (BTUs)	Weight (kg)
02.DND618W	White	1800	672	58	672	1576	5378	61.6
02.DND618A	Anthracite	1800	672	58	672	1576	5378	61.6

All dimensions are in milimetres unless otherwise stated. The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.

