No. DoP-120878

1.	Product Type:	Designer Radiators	
2.	Unique Identification Code(s):	120878 Salomon Anthracite 795x500mm 02.SMTR57A	
3.	ntended use of the construction product, in accordance with the applicable harmonised echnical specification, as foreseen by manufacturer:		
		In heating systems in buildings	
4.	Manufacturer:	Manufactured by Towelrads.com Ltd Units 4 & 5 Maidenhead Trade Park Priors Way Maidenhead Berkshire SL6 2GQ	
5.	Authorised Representative:	N/A	
6.	System of System or systems of as the construction product set out i	ssessment and verification of constancy of performance of n Annex V of the CPR:	
		System 3	
7.	Harmonised Standard:	BS EN442-1&2: 2014	
8.	Notified Body: 4 (ZONA BOVISA) 20156 MILANO	POLITECNICO DI MILANO – VIA RAFFAELE LAMBRUSCHINI ITALY	
Pe	rformed the assessment and evalua	tion of the product under system 3:	

Determination of the product-type on the basis of type testing, type calculation, tabulated values or

descriptive documentation of the product and issued declaration of conformity number

ENE/MRT.RAP.16355

	Performance	Harmonised Technical
Essential Characteristics		Specification
Reaction to fire	Class A1	
Release of dangerous substances	NPD	
Pressure tightness	Pass (1300 kPa)	
Resistance to Pressure	Pass (1690kPa)	
Surface temperature	Maximum 90 deg C	
Patral the constant of the t	Φ = (2.16356 K _M x	EN 442-1&2 -2014
Rated thermal output	1.24595n) x ΔT ⁿ	
Thermal output in different operating conditions	314 Watts	
(characteristic curve)		
	10 year	
Durability	manufacturer's	
	warranty	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Name and function: Paul Hamilton – Director

Place and date of issue: Queensgate House, Bracknell, Berkshire RG12 1RB 24/11/2017

MAan ec

No. DoP-120879

1.	Product Type:	Designer Radiators	
2.	Unique Identification Code(s):	120879 Salomon Anthracite 1245x500mm 02.SMTR512A	
3.	Intended use of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by manufacturer:		
		In heating systems in buildings	
4.	Manufacturer:	Manufactured by Towelrads.com Ltd Units 4 & 5 Maidenhead Trade Park Priors Way Maidenhead Berkshire SL6 2GQ	
5.	Authorised Representative:	N/A	
6.	 System of System or systems of assessment and verification of constancy of performance of the construction product set out in Annex V of the CPR: 		
		System 3	
7.	Harmonised Standard:	BS EN442-1&2: 2014	
8.	Notified Body: 4 (ZONA BOVISA) 20156 MILANO I	POLITECNICO DI MILANO – VIA RAFFAELE LAMBRUSCHINI ITALY	
Pe	rformed the assessment and evaluat	tion of the product under system 3:	

Determination of the product-type on the basis of type testing, type calculation, tabulated values or descriptive documentation of the product and issued declaration of conformity number ENE/MRT.RAP.16355

	Performance	Harmonised Technical
Essential Characteristics		Specification
Reaction to fire	Class A1	
Release of dangerous substances	NPD	
Pressure tightness	Pass (1300 kPa)	
Resistance to Pressure	Pass (1690kPa)	
Surface temperature	Maximum 90 deg C	
Patral the constant of the t	Φ = (2.16356 K _M x	EN 442-1&2 -2014
Rated thermal output	1.24595n) x ΔT ⁿ	
Thermal output in different operating conditions	461 Watts	
(characteristic curve)		
	10 year	
Durability	manufacturer's	
	warranty	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Name and function: Paul Hamilton – Director

Place and date of issue: Queensgate House, Bracknell, Berkshire RG12 1RB 24/11/2017

MAan ec

No. DoP- 127005

1.	Product Type:	Designer Radiators	
2.	Unique Identification Code(s):	127005– Salomon Chrome 795x500mm 02.SMTR57C	
3.	Intended use of the construction technical specification, as forese	n product, in accordance with the applicable harmonised een by manufacturer:	
		In heating systems in buildings	
4.	Manufacturer:	Manufactured by Towelrads.com Ltd Units 4 & 5 Maidenhead Trade Park Priors Way Maidenhead Berkshire SL6 2GQ	
5.	Authorised Representative:	N/A	
6.	System of System or systems of assessment and verification of constancy of performance of the construction product set out in Annex V of the CPR:		
		System 3	
7.	Harmonised Standard:	BS EN442-1&2: 2014	
8.	Notified Body: 4 (ZONA BOVISA) 20156 MILANG	POLITECNICO DI MILANO – VIA RAFFAELE LAMBRUSCHINI DITALY	
DΔ	rformed the assessment and evalu	nation of the product under system 3:	

Determination of the product-type on the basis of type testing, type calculation, tabulated values or

descriptive documentation of the product and issued declaration of conformity number

ENE/MRT.RAP.16355

	Performance	Harmonised Technical
Essential Characteristics		Specification
Reaction to fire	Class A1	
Release of dangerous substances	NPD	
Pressure tightness	Pass (650 kPa)	
Resistance to Pressure	Pass (840kPa)	
Surface temperature	Maximum 90 deg C	
Patral the constant of the t	$\Phi = (1.46297 \text{ K}_{\text{M}} \text{ x})$	EN 442-1&2 -2014
Rated thermal output	1.18760n) x ΔT ⁿ	
Thermal output in different operating conditions	363Watts	
(characteristic curve)		
	10 year	
Durability	manufacturer's	
	warranty	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Name and function: Paul Hamilton – Director

Place and date of issue: Priors Way, Maidenhead, Berkshire SL6 2GQ 01/12/2016

MAan ec

No. DoP- 127006

1.	Product Type:	Designer Radiators
2.	Unique Identification Code(s):	127006 – Salomon Chrome 1245x500mm 02.SMTR512C
3.	Intended use of the construction patentical specification, as foresee	product, in accordance with the applicable harmonised n by manufacturer:
		In heating systems in buildings
4.	Manufacturer:	Manufactured by Towelrads.com Ltd Units 4 & 5 Maidenhead Trade Park Priors Way Maidenhead Berkshire SL6 2GQ
5.	Authorised Representative:	N/A
6.	System of System or systems of as the construction product set out i	ssessment and verification of constancy of performance of n Annex V of the CPR:
		System 3
7.	Harmonised Standard:	BS EN442-1&2: 2014
8.	Notified Body: 4 (ZONA BOVISA) 20156 MILANO	POLITECNICO DI MILANO – VIA RAFFAELE LAMBRUSCHINI ITALY
Pe	rformed the assessment and evalua	tion of the product under system 3:

Determination of the product-type on the basis of type testing, type calculation, tabulated values or

descriptive documentation of the product and issued declaration of conformity number

ENE/MRT.RAP.16355

	Performance	Harmonised Technical
Essential Characteristics		Specification
Reaction to fire	Class A1	
Release of dangerous substances	NPD	
Pressure tightness	Pass (650 kPa)	
Resistance to Pressure	Pass (840kPa)	
Surface temperature	Maximum 90 deg C	
Patral the constant of the t	$\Phi = (1.46297 \text{ K}_{\text{M}} \text{ x})$	EN 442-1&2 -2014
Rated thermal output	1.18760n) x ΔT ⁿ	
Thermal output in different operating conditions	549Watts	
(characteristic curve)		
	10 year	
Durability	manufacturer's	
	warranty	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Name and function: Paul Hamilton – Director

Place and date of issue: Queensgate House, Bracknell, Berkshire RG12 1RB 01/12/2016

MAan ec