
Technical Data Sheet


MATCH 1200mm Iscoast LH / RH Basin

Whats in the box: 1x MAT12BL or MAT12BR



NOTE: LH basin shown, reverse dimensions for RH





Diagrams not to scale All dimensions in mm tolerance of +/-5mm

*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

Materials

Basin: Isocast

Has many names including:

- Gelcoat
- Cultured marble
- Cast mineral marble
- Synthetic marble

Base material is 70% natural (aggregate dolomite rock - calcareous magnesium carbonate). A misconception is that this material is completely manmade. The other 30% is a mixture of various polyester resins. 1.5 - 2.0mm Top coating of "gelcoat" which is the proprietary name for the polyester resin used to seal all top faces of the basin / worktop. Tolerance of +3/-0mm. Ceramic is more typically +5/-5mm. Fully tested against multiple stains which can either be removed with standard cleaners (autosol for example) or the specialist clean and shine repair kits.

FAQs

Q: What is the maximum water depth of the basin?

Q: What is the distance of the wall fixings?

Q: What is the width and length of the Basin Belly?

Q: Whats is the width of the Tapledge?

Q: What is the distance from the Taphole centre to Basin Waste?

Q: Q: What are the taphole/ basin waste sizes?

A: 135mm up to the overflow.

A: N/A

A: The Basin Belly is 500mm wide and is 121mm prospects from the worktop.

A: The Tapledge is 108mm wide.

A: 150mm

A: A: All sizes are to British Standard - (BS EN 31)

- Diameter of the central tap hole = 35mm: +2/-1mm
- Bore of the waste outlet hole = 46mm: +2 / 3mm
- Diameter of the base for the seal between the waste outlet hole and the waste fitting $= \ge 60 \text{ mm}$